

### CELERIO



6 AIRBAGS AS STANDARD


## FOR STYLE THAT NEVER STOPS.

The excitement of the city is endless... The next thrill could be just a turn away! And with its 3D Organic Sculpted Design, its peppy Next Gen K-series engine, and other dynamic features, the Celerio is ready to be your perfect partner in style through it all!














#### SPACE FOR ALL YOUR STYLE.





**CONTEMPORARY DASHBOARD** 









### SPIRITED AND ENERGISED.

The Next Gen K10C Engine is the perfect reflection of your spirit, providing a lively and invigorated drive while ensuring India's best fuel-efficiency so you can drive your style anywhere you want. Also available with S-CNG technology, the Celerio brings you a safer, high-performing engine that gives you a dynamic driving experience and greater savings.

INDIA'S MOST FUEL 26.00 km/l START STOP\*\*#







# CONVENIENCE JUST BECAME STYLISH.

















#### CONNECTED AND READY.

The modern age is all about staying connected with the ones you love, and the Celerio makes this effortless. The large 17.78cm Smartplay Studio screen comes with Smartphone Navigation so that you're always connected on the go.











Make your smartphone a smart remote











\*\*For details on functioning of safety features, including air bag, kindly refer to the Owner's Manual.






The Heartect platform adds to the safety of the Celerio by providing a rigid structure for the effective absorption and dispersion of impact force.

**HEARTECT PLATFORM** 









#### **COLOUR SPECIFICATIONS**



**METALLIC SPEEDY BLUE** 




**METALLIC SILKY SILVER** 



**SOLID FIRE RED** 



METALLIC GLISTENING GREY



PEARL CAFFEINE BROWN



PEARL ARCTIC WHITE




PEARL BLUISH BLACK###


FEATURE LIST	LVINT	MY MET (ONO	77/147	77/1- 147	VIV.: 400	7V: 400	777. 100
Variants	LXi MT	VXi MT/CNG	ZXi MT	ZXi+ MT	VXi AGS	ZXi AGS	ZXi+AGS
EXTERIORS	v		7				7
ORVM with Turn Indicators	X	X	· ·	✓ ✓	X	V	· ·
Front Fog Lamps Body-Coloured Bumper	X	X	X	7	X	X	7
Body-Coloured Darriper  Body-Coloured ORVMs	X	1	· /	1	·		/
Body-Coloured Outside Door Handles	X	1		_	/	· /	-
Chrome accent on front grille	1	✓	V	V	V	✓	~
B Pillar Black Out Tape	Х	X	х	1	Х	х	·
Full Wheel Covers	Х	1	9	x	1	<b>V</b>	х
	(Center cap)						
Alloy Wheels R15 (38.02 cm)	X	X	Х	✓	X	X	✓
INTERIORS Co. De Vosite Missos in Sup Viscos	V	1	-	,	7		
Co-Dr Vanity Mirror in Sun Visor  Dr. Side Sunvisor with ticket holder	X		· ·	· ·	· ·	· ·	1
Day Night IRVM	X	· ·			-		· /
Front Cabin Lamp (3 Positions)	~	1	1	·	1	·	1
Bottle Holder	6	6	6	6	6	6	6
Driver Seat Height Adjuster	х	X	X	✓	X	X	1
Front Seat Back Pockets (Passenger Side)	✓	/	V	✓	V	V	1
Rear Seat (60:40 split)	Х	4	V	✓	1	<b>4</b>	V
Front and Rear Headrest	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Rear Parcel Shelf	X	1	<b>Y</b>	✓	1	1	✓
SAFETY AND SECURITY							
Side and Curtain Airbags <sup>ss</sup>	<b>V</b>	V .	1	√	V	V	4
Dual Front Airbags (Driver and Co-driver)™	V	1	V	<b>√</b>	· ·	V	V
Seat Belt Reminder with Buzzer (Front & Rear Seat)	<b>✓</b>	· /	<b>✓</b>	✓	<b>/</b>	✓	✓
Seat Belt Pre-Tensioner & Force Limiters (Dr.+Co-Dr.)	<b>√</b>	1	· /	√.	V	V	<b>√</b>
3-Point seat belts for all Seats	V	<b>√</b>		· ·	V	V .	· ·
Hill Hold Assist^^	X	X	X	X	V	V	1
Impact-Sensing Auto Door Unlock	X	· /		· ·	V .	Ý	· ·
Pedestrian Protection	· ·	· ·	· ·	V	V.	V	· ·
ABS with EBD	· ·	Y .		· ·	V	V	· ·
Electronic Stability Program (ESP®)	V	· ·	- V	· ·		· ·	· ·
Speed-Sensitive Auto Door Lock	X	7	· ·		· ·	*	*
Headlight Leveling Rear Window Wiper & Washer	X	X		1	X	7	1
Front Ventilated Disc	^	^		7	~	· ·	-
Immobilizer	1	1	-	1	5	-	1
Child-Proof Rear Door Locks	· /	1	· /	1	V.	· /	/
Rear Defogger	X	х		/	X	/	/
Speed Alert System*		2		/	~	V	1
Reverse Parking Assist Sensors	V	1			1	V	
COMFORT AND CONVENIENCE			. 10				
Air Conditioner (Manual)	✓	1	✓	✓	1	1	1
Pollen Filter	✓	✓	4	✓	<b>√</b>	✓	✓
Engine Push Start/Stop with Smart Key	X	X	X	✓	X	X	1
Smartplay Studio System with Smartphone Navigation and	X	×	Х	<b>√</b>	X	х	1
Voice Command (Android Auto and Apple CarPlay enabled) ^^***	^	^	Α.		^	^	
Smart Play Dock - USB, FM, AUX, BT	X	X		X	X	V	X
No. of Speakers	X	X	4	4	Х	4	4
Remote Keyless Entry	X	X	· ·	V	X	V	V
Security System	X	X	· /	· ·	X	- V	· ·
Central Door Lock (5 Doors)	X	V	V	V	V F-/D-	V	F-/D-
Power Windows	X	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr
Power Windows - Auto Down (Driver Side)	Х	V	¥ .	V.	· ·	V :	
Outside Mirrors Type	Flap Type	Electrically Adjustable	Electrically Adjustable	Electrically Adjustable	Electrically Adjustable	Electrically Adjustable	Electrically Adjustable
Electrically-Foldable ORVM	Х	Х	Х	1	х	х	1
The state of the s	550		- 7			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
Steering-Mounted Audio Controls	X	X		1	X		
Steering-Mounted Voice Control	X	X	X	· /	X	X	./
Power-Steering Engine Idle Start Stop	-	√ (Petrol)		· ·	· /	V	
CENTRAL CONSOLE & INSTRUMENT PANEL	107.1	( cuoi)		W6	20.70	*	1871
	040000000000000000000000000000000000000	Reddish	Reddish	Reddish	Reddish	Reddish	Reddish
III 8 92 52 52 I	Reddish	neudisii		90.00	0.055	200	Amber
Illumination Colour	Reddish Amber	Amber	Amber	Amber	Amber	Amber	
Illumination Colour Tachometer		0.000	Amber ✓	Amber  √	Amber	Amber	✓
Tachometer	Amber	Amber	Amber ✓	Amber ✓	and the second	Amber ✓	✓ ✓
A CONTRACTOR CONTRACTOR OF EACTOR	Amber	Amber X	Amber ✓	Amber  ✓	✓	<b>V</b>	✓ ✓ ✓
Tachometer Urethane Steering Wheel	Amber X ✓	Amber X ✓	Amber  ✓  ✓	<i>V</i>	· /	· /	✓ ✓ ✓
Tachometer Urethane Steering Wheel Tilt Steering Accessory Socket Dial-Type Climate Control	Amber X ✓	Amber X ✓	Amber	<i>V</i>	· /	· /	√ √ ✓ Silver Painted
Tachometer Urethane Steering Wheel Tilt Steering Accessory Socket	Amber X ✓ X	Amber X X X Silver Painted	√ ✓ ✓ Silver	√ √ ✓ Silver Painted	X X Silver	√ ✓ ✓ Silver	√ √ ✓ Silver
Tachometer Urethane Steering Wheel Tilt Steering Accessory Socket Dial-Type Climate Control	Amber X ✓ X	Amber X X X Silver Painted	√ ✓ ✓ Silver	✓ ✓ ✓ Silver Painted ✓	X X Silver Painted	√ √ ✓ Silver Painted	√ √ ✓ Silver Painted
Tachometer Urethane Steering Wheel Tilt Steering Accessory Socket Dial-Type Climate Control Fuel Consumption (Instantaneous and avg.)	Amber X ✓ X	Amber X X X Silver Painted	√ ✓ ✓ Silver	√ √ ✓ Silver Painted	X X Silver Painted	√ √ ✓ Silver Painted	√ √ ✓ Silver Painted
Tachometer Urethane Steering Wheel Tilt Steering Accessory Socket Dial-Type Climate Control Fuel Consumption (Instantaneous and avg.) Distance to Empty Gear Position Indicator	Amber X X X Black	Amber X X X Silver Painted V	✓ ✓ ✓ Silver Painted ✓	✓ ✓ ✓ Silver Painted ✓	X X Silver Painted  ✓	√ √ ✓ Silver Painted ✓	√ √ ✓ Silver Painted ✓
Tachometer Urethane Steering Wheel Tilt Steering Accessory Socket Dial-Type Climate Control Fuel Consumption (Instantaneous and avg.) Distance to Empty Gear Position Indicator Gear Shift Indicator Door Ajar Warning Lamp	Amber X X X Black	Amber X X X Silver Painted X X	✓ ✓ ✓ Silver Painted ✓	Silver Painted  X  X	X X Silver Painted  X X	Silver Painted	√ √ ✓ Silver Painted ✓
Tachometer Urethane Steering Wheel Tilt Steering Accessory Socket Dial-Type Climate Control Fuel Consumption (Instantaneous and avg.) Distance to Empty Gear Position Indicator Gear Shift Indicator	Amber X X X Black	X X X Silver Painted X	✓ ✓ ✓ Silver Painted ✓	Silver Painted  X	X X Silver Painted  ✓	√ √ ✓ Silver Painted ✓	√ √ ✓ Silver Painted ✓

SPECIFICATION SHEET		PETROL	CNG				
Variants		LXi, VXi, VXi AGS, ZXi, ZXi AGS, ZXi+, ZXi+ AGS	VXi				
DIMENSIONS (in mm)							
Overall Length		36	95				
Overall Width		16	1655				
Overall Height		1555					
Wheelbase		2435					
Trand	Front	1430(R14),1440(R15)					
Tread	Rear	1440(R14),1450(R15)					
ENGINE							
Туре		K10C	K10C CNG				
Capacity		998	998 cc				
Engine Type		Alum	Aluminium				
Number of Cylinders			3				
Number of Valves in Each	ch Cylinder		4				
Maximum Output		50.4kW (68.5PS) @ 5600rpm	CNG Mode: 41.7kW (56.6PS) @ 5300rpm Gasoline Mode: 49.8kW (67.7PS) @5600rpm				
Maximum Torque		91.1Nm @ 3400rpm	CNG Mode: 82.1Nm @ 3400rpm Gasoline Mode: 91.1Nm @ 3400rpm				
Emission Standard Type	2	BS VI -	BS VI + OBD II				
Accelerator Pedal Type		Electr	Electric type				
TRANSMISSION		1/0	1-3051				
Туре		5MT/ Auto Gear Shift	5MT				
SUSPENSION SYSTEM							
Front		Mac Pherson Strut with Coil Spring					
Rear		Torsion Beam	with Coil Spring				
WEIGHT (kg)		1):					
Kerb Weight		810 kg (LXi MT), 820 kg (VXi MT/ ZXi MT), 825 kg (VXi AGS); 830 kg (ZXi+ MT/ ZXi AGS), 835 kg (ZXi+ AGS)	915 kg (VXi MT)				
Gross Vehicle Weight		1260	1320				
CAPACITY							
Seating Capacity	Persons		5				
Luggage Capacity (L)	***	292***					
Fuel Tank Capacity (L)		32	Petrol: 32 CNG: 60 (Water Equivalent)				
POWER STEERING							
Туре		Electric Power	Electric Power Steering				
TYRES							
Tyre Size**		ZXi+ -175/60 R 15, LX	i,VXi,ZXi - 165/70 R 14				
BRAKES		- XX					
Front	Disc						
Rear		Dr	Drum				

Fr-Front, Rr-Rear, Dr-Driver, MT-Manual Transmission, AGS-Auto Gear Shift



26.00 34.43 24.97 km/kg km/l km/l km/l Petrol CNG Petrol Petrol VXi MT ZXi+ MT, LXi MT ZXi AGS, ZXi MT ZXi+ AGS, VXi MT VXi AGS




FIRE RED



PEARL BLUISH

BLACK###





SILKY SILVER








SPEEDY BLUE GLISTENING GREY ARCTIC WHITE







PEARL

CAFFEINE BROWN

\*The claim is specific to CNG & petrol MT categories. Based on SIAM data and JATO Dynamics research dated Oct 17, 2024 for the passenger vehicle segment. \*Mileage is certified by test agency under rule 115(G) of CMVR 1989.

All variants LXi, VXi, ZXi & ZXi+ are BS VI (including OBD II) compliant.

MT: Manual Transmission, AGS: Auto Gear Shift

Maruti Suzuki India Limited reserves the right to change, without notice, price, colours, equipment specifications, and models and also to discontinue models and/or replace any part or accessory with any product. Accessory and feature shown in the pictures may not be a part of standard equipment and will differ according to the variant. Image used are for illustration purposes only. \*\*For details on functioning of safety features, including air bag, kindly refer to the Owner's Manual. 'The speed alert system gives audible warning for alert of over-speed to driver. When vehicle speed exceeds about 80 km/h, primary level warning with two beeps will sound every minute. When the vehicle speed exceeds about 120 km/h, secondary level warning will sound. If the vehicle speed is slowed down to about 118 km/h, primary warning will resume. If the vehicle is slowed down to about 78 km/h, speed alert warning will stop. This buzzer does not indicate any malfunction in vehicle. "Spare wheel material is steel (for all variants) and tyre size is 165/70 R14. -- VDA Method. -\*Only applicability to Petrol variants. \*\*^6 years or 1 60 000 km - whichever is earlier. \*\*\*Available in all the variants except for LXi MT. ^^Available in AGS variant. ^\*Based on SIAM data and JATO dynamics research dated 7th January, 2025 for the passenger vehicle segment. \*\*Apple and Apple CarPlay are trademarks of Apple Inc. registered in the U.S. and other countries. Android Auto", is trademark of Google Inc

\*ABS is a device that assists the driver during braking. It does not eliminate the need to drive safely, for example by slowing down when approaching a corner. ESP is a registered trademark of Mercedes-Benz Group AG.