











































TECHNICAL SPECIFICATIONS							
SPECIFICATION SHEET	PETROL	CNG VXI MT, ZXI MT					
VARIANTS	"LXI MT, VXI MT/AMT, ZXI MT / AMT, ZXI+ MT/AMT"						
DIMENSIONS							
Length (mm)	3995						
Width (mm)	1735						
Height (mm)	1525						
Wheelbase (mm)	2450						
Turning Radius (m)	4.8						
Ground clearance (mm) (unladen)	163						
Seating Capacity	5						
Boot Space (L)	382	-					
ENGINE		105					
Engine Type		12E					
Fuel Type	Petrol	Petrol + CNG (Bi-Fuel)					
Engine Capacity (cc) Max Power (kW @rpm)	60 kW / 81.58 Ps @ 5700 rpm	197 51.3 kW / 69.75 Ps @ 5700 rpm					
Max Torque (Nm @ rpm)	111.7 Nm @ 4300 rpm	101.8 Nm @ 2900 rpm					
Emission Type		S VI					
Fuel Efficiency	24.79 km/l MT 25.71 km/l AMT	33.73 km/kg					
18 18 18 18 18 18 18 18 18 18 18 18 18 1		Petrol: 37L					
Fuel Tank Capacity (L)	37L	CNG: 55L (water equivalent)					
Idle Start Stop	√	(2)					
TRANSMISSION							
Transmission	5MT/5AMT	5MT					
WEIGHT							
Kerb Weight (kg)	920-960 kg	1020-1025 kg					
Gross Vehicle Weight (kg)	1375 kg	1435 kg					
BRAKES							
Front	D	isc					
Rear		rum					
SUSPENSION							
Front	Mac Phe	erson Strut					
Rear		n Beam					
TYRES							
Tyre Size (Steel)	165/	80 R14					
Tyre Size (Alloy)	185/65 R15						

FEATURES LIST							
VARIANTS	LXI MT	VXI MT/AMT CNG MT	ZXI MT/AMT CNG MT	ZXI+ MT/AMT			
EXTERIORS							
R15 Alloys	-		√ (Painted)	√ (Precision Cut			
R14 Steel Wheels	√	√	-	-			
Full Wheel Covers	2-3	√	(2)	1 2			
Sleek Line LED DRLs	852	-	√	√			
.ED Crystal Vision Headlamps	-	-	√	√			
ocusBeam Projector Headlamps	√	√	-	-			
Clarity Vision LED Fog Lamps	-	-	-	√			
Chrome Finish - Front Grille	-	√	√	√			
Chrome Finish - Trunk Lid Garnish	0.70	√	√	√			
Side Turn Indicators on Outside Rear View Mirrors	-	√	√	√			
Body Coloured Door Handles	970	√	√	√			
Body Coloured Outside Rear View Mirrors	0.43	√	√	√			
ED High Mount Stop Lamp	√	√	√	√			
3D Trinity LED Rear Lamps Signature	√	√	√	√			
Shark Fin Antenna	√	√	√	√			
Aero Boot Lip Spoiler	√	√	√	√			
Belt Line Garnish	Black	Black	Chrome	Chrome			
eather Wrapped Steering Wheel with Urbane Satin Accent^	8.78	-	15733	√			
Front Footwell Illumination	17-3		-	√ √			
Urbane Satin Accents on Console, Door Trims		-	√	√			
Chrome Finish - AC Vents	0.40	-	√	√			
Chrome Finish - Inside Door Handles	-	√	√	√			
Chrome Accent On Parking Brake Lever Tip And Gear Shift Knob		√	√	√			
P Ornament Finish	2-3	√ (Satin Silver)	√ (Satin Silver + Wood)	√ (Satin Silver + Wood)			
Front Dome Lamp		√	√	√ (spot lamp)			
Centre Room Lamp	√	√	√	-			
Co. Driver Side Sunvisor with Vanity Mirror	√ (without mirror)	√	√	√			
Driver Side Sunvisor with Ticket Holder	√ (without holder)	√	√	√			
Front Door Armrest with Fabric	√	√	√	√			
Oual-Tone Sophisticated Interiors (Black & Beige)	√	√	√	√			
Outside Temperature Display	5. - 3	AMT Only	√	√			
Speedometer with Tachometer	√	√ /	√	√			
.ow-Fuel Warning Lamp	√	√	√	√			
Multi-Information Display	√	√	√	√ (Coloured)			
				. (55.55.50)			
CAFETY & CECHIDITY							
SAFETY & SECURITY Reverse Parking Camera			√				
Reverse Parking Gamera		-	٧	-			

-

360 View Camera (HD)

Anti-Theft Security System (Shock Sensor)
Tyre Pressure Monitoring System (TPMS)
Day/Night Adjustable Inside Rear View Mirror


Speed-Sensitive Auto Door Locking

FEATURES LIST						
VARIANTS FEA	LXIMT	VXI MT/AMT	ZXI MT/AMT	ZXI+ MT/AMT		
SAFETY & SECURITY	Ext IIII	CNG MT	CNG MT	ZA MIJAMI		
Rear Defogger	√	√	√	√		
ingine Immobilizers	√	√	√	√		
Airbags (Front, Side and Curtain)^^	√	√	√	√		
ligh-Speed Warning Alert*	√	√	√	√		
-Point seat belts for all Seats	√	√	√	√		
eat Belt Reminder Lamp & Buzzer (all occupants)^^^	√	√	√	√		
uzuki HEARTECT Body	√	√	√	√		
lectronic Stability Program (ESP)	√	√	√	√		
lill Hold Assist	√	√	√	√		
BS with EBD	√	√	√	√		
everse Parking Sensors	√	√	√	√ .		
SOFix Child Seat Anchorages	√	√ .	<u>-</u>	√ .		
ront Seat Belt with Pre-Tensioner & Force Limiter	√	√	- √	√		
NFOTAINMENT						
martPlay Pro+ with 22.86 cm Touchscreen	-	-	-	√		
urround Sense Powered by Arkamys	-			√		
martPlay Pro with 17.78 cm Touchscreen	-	√	√			
ndroid Auto and Apple CarPlay***	-	Wireless	Wireless	Wireless		
emote Control App for Infotainment	-	√ ′	/	√		
teering Mounted Audio & Calling Controls	-	√ .	√,	√ /		
ver The Air Updates (OTA) using Smartphone nboard Voice Assistant (Wake-up Through "Hi Suzuki" with	-	√	√	√		
arge-in Feature)		√	√	√		
SB & Bluetooth Connectivity	-	√	√	√		
peakers (4 nos.)	-	√	√	√		
weeters (2 nos.)	-	-	√	√		
OMFORT & CONVENIENCE						
ectric Sunroof	-	-	-	√		
ear Reading Lamps	<u> </u>	-	-	√		
ruise Control	-	-	(.5)	√		
/ireless Charger	-		√	√		
ngine Push Start-Stop Button with Smart Key	-	-	√	√		
uto headlamps with Follow Me Home & Lead Me to Vehicle	-	-	√	√ ′		
ey-fob operated Trunk opening uggage Room Lamp	-	√	√ √	√ √		
ear AC Vent	-	√ √	√ √	√ √		
ear Seat Center Armrest with Cup Holder	-	√	√	√		
ront USB (Type A)		√	√	√		
ear Fast Charging USB (Type A and C) with phone pocket	-	√	√	√		
lectrically Adjustable Outside Rear View Mirrors	2	√	√	√		
lectrically Foldable Outside Rear View Mirrors	2	√	√	√ (Auto fold on		
		76		locking)		
leight Adjustable Driver Seat djustable Rear Seat Headrests	-	√ √	√ √	√ √		
ear Position Indicator (AMT Only)	-	√	√ √	√ √		
ear Shift Indicator (MT Only)	√	√	√	√ √		
ower Windows (Front + Rear)	√	√	√	√		
lectromagnetic trunk opening	√	√	√	√		
djustable Front Seat Headrests	√	√	√	√		
uto Up Down and Pinch Guard Power Window (Driver)	√	√	√ .	√		
river Side Footrest	√ /	√ ′	/	√ ′		
ront Accessory Socket emote Keyless Entry System	√ √	√ √	√ √	√ √		
entral Locking	√ √	√ √		√		
ower & Tilt Steering	√	√	√	√		
ottle Holder on All Doors	√	√	√	√		
igital Air Conditioner with Panel Illumination	√ (Manual)	√ (Manual)	√ (Auto)	√ (Auto)		
UZUKI CONNECT**						
	4.0			-		
mergency Alerts	-	-	√	√		
	-	-	√ √	√ √		
reakdown Notification	_					
reakdown Notification tolen Vehicle Notification & Tracking	_		√	√		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence	_	-	√ √	√ √		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence	-	-	√ √ √ √	√ √ √ √		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert	-	-	√ √ √ √ √	√ √ √ √ √		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert rip Summary		- - - -	√ √ √ √ √	√ √ √ √ √ √		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert rip Summary riving Behaviour		- - - - - -	√ √ √ √ √ √	√ √ √ √ √ √		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert rip Summary riving Behaviour hare Trip History		- - - - - -	√ √ √ √ √ √ √	√ √ √ √ √ √ √		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert rip Summary riving Behaviour hare Trip History rea Guidance		- - - - - - -	√ √ √ √ √ √ √	√ √ √ √ √ √ √ √		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert rip Summary riving Behaviour hare Trip History rea Guidance ehicle Location Sharing		- - - - - -	√ √ √ √ √ √ √ √	√ √ √ √ √ √ √ √		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert rip Summary riving Behaviour hare Trip History rea Guidance ehicle Location Sharing verspeeding		- - - - - - -	√ √ √ √ √ √ √ √ √	√ √ √ √ √ √ √ √ √		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence me fence alet Alert rip Summary riving Behaviour hare Trip History rea Guidance ehicle Location Sharing verspeeding eatbelt		- - - - - - -	√ √ √ √ √ √ √ √ √ √	√ √ √ √ √ √ √ √ √ √		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert rip Summary riving Behaviour hare Trip History rea Guidance ehicle Location Sharing verspeeding eatbelt C Idling		- - - - - - -	√ √ √ √ √ √ √ √ √ √	√ √ √ √ √ √ √ √ √		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert rip Summary riving Behaviour hare Trip History rea Guidance ehicle Location Sharing verspeeding eatbelt C Idling rip (Start & End)		- - - - - - - - - -	√ √ √ √ √ √ √ √ √ √	√ √ √ √ √ √ √ √ √ √		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert rip Summary riving Behaviour hare Trip History rea Guidance ehicle Location Sharing verspeeding eatbelt C Idling rip (Start & End) ow Fuel		- - - - - - - - - - - -	√ √ √ √ √ √ √ √ √ √ √	√ √ √ √ √ √ √ √ √ √ √ √		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert rip Summary riving Behaviour hare Trip History rea Guidance ehicle Location Sharing verspeeding eatbelt C Idling rip (Start & End) ow Fuel ow Range		- - - - - - - - - - - -	√ √ √ √ √ √ √ √ √ √ √ √	√ √ √ √ √ √ √ √ √ √ √ √		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert rip Summary riving Behaviour hare Trip History rea Guidance ehicle Location Sharing verspeeding eatbelt C Idling rip (Start & End) ow Fuel ow Range ashboard View		- - - - - - - - - - - -	√ √ √ √ √ √ √ √ √ √ √ √ √	√ √ √ √ √ √ √ √ √ √ √ √ √		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert rip Summary riving Behaviour hare Trip History rea Guidance ehicle Location Sharing verspeeding eatbelt C Idling rip (Start & End) ow Fuel ow Range ashboard View oor Lock/Cancel Lock		- - - - - - - - - - - - - - - - - - -	\frac{1}{\sqrt{1}} \frac{1}{\sqr	√ √ √ √ √ √ √ √ √ √ √ √ √ √		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert rip Summary riving Behaviour hare Trip History rea Guidance ehicle Location Sharing verspeeding eatbelt C Idling rip (Start & End) ow Fuel ow Range ashboard View oor Lock/Cancel Lock azard Light On/Off		- - - - - - - - - - - - - - - - - - -	\frac{1}{\sqrt{1}} \frac{1}{\sqr	\frac{1}{\sqrt{1}}		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert rip Summary riving Behaviour hare Trip History rea Guidance ehicle Location Sharing verspeeding eatbelt C Idling rip (Start & End) ow Fuel ow Range ashboard View oor Lock/Cancel Lock azard Light On/Off larm		- - - - - - - - - - - - - - - - - - -	\frac{1}{\sqrt{1}} \frac{1}{\sqr	√ √ √ √ √ √ √ √ √ √ √ √ √ √		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert rip Summary riving Behaviour hare Trip History rea Guidance ehicle Location Sharing verspeeding eatbelt C Idling rip (Start & End) ow Fuel ow Range ashboard View oor Lock/Cancel Lock azard Light On/Off larm nmobiliser Request		- - - - - - - - - - - - - - - - - - -	\frac{1}{\sqrt{1}} \frac{1}{\sqr	\frac{1}{\sqrt{1}}		
reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert rip Summary riving Behaviour hare Trip History rea Guidance ehicle Location Sharing verspeeding eatbelt C Idling rip (Start & End) ow Fuel ow Range ashboard View oor Lock/Cancel Lock azard Light On/Off larm nmobiliser Request attery Health			\frac{1}{\sqrt{1}} \frac{1}{\sqr	\frac{1}{\sqrt{1}}		
mergency Alerts reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eo-fence ime fence alet Alert rip Summary riving Behaviour hare Trip History rea Guidance ehicle Location Sharing verspeeding eatbelt C Idling rip (Start & End) ow Fuel ow Range ashboard View oor Lock/Cancel Lock lazard Light On/Off leadlight Off larm mmobiliser Request attery Health martwatch Connectivity lexa Skill Connectivity*****		- - - - - - - - - - - - - - - - - - -	\frac{1}{\sqrt{1}} \frac{1}{\sqr	\frac{1}{\sqrt{1}}		















Bluish Black~



Arctic White



(Magma Grey)



(Splendid Silver)

MT 24.79*** km/l

25.71*** km/l CNG 33.73*** km/kg

LEGEND: (√) Available, (-) Not Available. Maruti Suzuki India Limited reserves the right to change prices, colours, equipment specifications, variants and discontinue models without prior notice. Images are for reference purposes only. Colours may vary from the actual body colour due to printing on paper. *VDA Method. **Suzuki Connect (Available Through Phone/ Smartwatch/ Suzuki Connect skill for Amazon Alexa.). Suzuki Connect is a networkdependent telematic device. For detailed features, refer to the Suzuki Connect brochure. ***Fuel efficiency as certified by the test agency under Rule 115 of CMVR 1989. ****Amazon, Alexa, and all related marks are trademarks of Amazon.com, Inc. or its affiliates. #If the vehicle's speed exceeds 80 km/h, then the primary level warning will beep twice every minute. And, if the speed goes above 120 km/h, the secondary level warning will keep beeping. If the vehicle's speed slows down to 118 km/h, the primary warning will resume. If the vehicle is slowed down to 78 km/h, the speed alert warning will stop. This buzzer does not indicate any malfunction in the vehicle. ##Spare wheel material is steel & spare tyre size is 165/80 R14. ###Apple and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. Apple CarPlay is a trademark of Apple Inc., Apple CarPlay is available in the countries listed in the following link: http://www.apple.com/ios/featureavailability/# applecarplay-applecarplay. Apple CarPlay is compatible with the iPhone models listed in the following link: http://www.apple.com/ios/ carplay. Android Auto™ extends the Android platform into the car in a way that's purpose-built for driving. It is designed to minimise distraction so you can focus on driving with Google™ services like Google Map™ and Google Search™. Get the Android Auto app on Google Play™. Android Auto is available in the countries listed at the following link: https://www.android.com/auto/ #hit-the-road. Most phones with Android 5.0+ work with Android Auto: https://support.google.com/androidauto/#6140477. Android. Android Auto, Google, Google Play and other marks are trademarks of Google Inc. ^Some parts of the leather-appointed upholstery will contain man-made material. AFor details on the functioning of safety features, including airbags, kindly refer to the Owner's Manual. ^^^This certifies that, the Maruti Suzuki New Dzire Petrol as the "India's Most Fuel-Efficient Sedan" as of 08th Oct 2024. The certification is based on information communicated by MSIL that the New Dzire Petrol, with the fuel efficiency of 24.79 km/l, MSIL has also informed that the fuel-efficiency figures are as per the certification of the test agency. Only Manual Transmission Sedan vehicles are considered from this claim validation. Based on the data provided by MSIL and comparing the same with vehicle technical specifications researched independently by JATO Dynamics for the Passenger Car segment. ~Available in all variants except Lxi.

