NEXA









Light-years away from ordinary's depth and imaginations.

There exists a league.

Unparalleled and truly starlike.

So much so that everyone wants to be a part of it.

But the best part is you are not everyone.

And you will never be conquered by the mundane.

You are invincible. And we welcome you to

THE LEAGUE OF EXTRAORDINARY



# LEAGUE DEFINING LOOK

There's an air of sophistication that always prevails with the INVICTO.

Its defiant front fascia and striking alloys give it a sharp, insubmissive look, which make it a sight to behold. Moreover, its strong stance oozes elegance and commands attention when it is on the move and even when it's not.







## LUXURY IN MOTION

The view of the arch lights, the sound of the applause, and the camera flashes are best enjoyed from inside the INVICTO. And all you have to do is take your seat and enjoy the show. While you are in it, you can switch from normal view to panoramic through the sunroof whilst basking in the glory of the Ambient Lights, which add a sense of warmth and depth inside the cabin.



## COMFORTABLY OPULENT

There's power in comfort. And that power helps you choose what sort of comfort you are in the mood for. Quiet at times. Groovy sometimes. But comfortably extraordinary all the time with ventilated seats in the front row, and plush captain seats in the 2<sup>rd</sup> row. For your added convenience, INVICTO comes with comfort enhancing features such as front and rear Multi-zone Climate Control and One-touch Powered Tailgate.







# THE ART OF TECH

INVICTO extends the frontiers of refined driving with its state-of-the-art technology. It has everything from Digital MID to Cruise Control to a Powered Driver Seat with a Memory Function. And that's just the beginning. The real cherry on the top is that INVICTO is powered by Intelligent Electric Hybrid with multiple Drive Modes, which not only contributes to an unparalleled driving experience, but also the environment with low carbon emissions.



## SAFETY EXTRAORDINAIRE

A good driving experience feels even greater when it meets unmatched safety. INVICTO is equipped with the revolutionary Suzuki Connect, which now comes with integrated eCall functionality. So, from operating your car remotely to providing rapid assistance, and shielding you with 6 airbags, INVICTO has left no stone unturned to make sure that you don't just arrive at a destination, but stay cocooned in advanced safety throughout your journey.



PG\_15 10421\_S\_Invicto Brochure\_11.75x8.25 PG\_14



TECHNICAL SPECIFICATIONS & FEATURES	Zetar	Alphan	
DINCHSIONS & WEIGHT		-	
Overall Length (mm)	47	15	
Overall (Micth (min))	1945	1250	
Overal I He ight from I	1796	1794	
Oher kass-Ironi	36	16	
Furl Officiency (IOm/O	22.%		
Ford Tank Copacity (L)	- 12		
Seeding Coperaty	Tik I	7	
Kerb II/stebt	1626/1676	1625	
Gross Valuate Meight/Ng/	7300	700	
INCINE		100	
Naplacement (cr)	1981 oc		
Fuel Type	Petrol/Nybrid		
EVERID.			
Total Syntree Max. Power (1999-1.2794395)	GWW [1863PS]		
Dt Mode	/		
Driving Mode	ICE-Nove	w +Proper	
Settery Type	Nill coll Air Nil (Nickel Hetal Hydride)		
Settory Voltage (V)	21.6		
Notice Semerator Type	AC Synchranius Rictor		
Nax Fower (KINgrpin)	\$1.75kW (g 4600 spm		
Max Torque (Nm@rpin)	20Nn		
TRANSMISSION			
Гуре	9-0	OFF.	
3/36			
Туре	340		
35753901			
Poet	Magnesion Strut		
bur	Toron Seam		
BIAGIS		28.20	
Print	Tradiated Por		
bir	Selid Disc		
WHEEL & TYPE SIZE			
Tyre See & Dimeralcas	115/60 RIP (A3.18 on) Pro	worken Cut Allow Wheels	


TEXTURE SPECIFICATION	Zetar	Alphar
LITEROR		
Tein LEB Haudlangs with NEITH DRLs		- 2
NEXT IN SIGNATURE LED TAIL CAMES		0
Maar LED Turk Indicators Proef Sumper!		
Body Colcord CAUSA with Tarn Indicator	-	2
Roof end Spoder with LED High Plaumt Stop Lamp	7	2
home Back Davir Garnish		9
(Safe Boel Handles	Body Colored	Chroma Freigh
Ethicava Crofin with Sweeping Crock Bur Cheane Felick	4	
Shark Din Artenna	7	- 2
thee larch Dadding	-	
Moskie Gid Allow Witness	- (	
roff Vipers	Internitura	Introduction with Time Adjust Function
or Intercritaint Water & Washer		7
ITCRIOR.		
uno camic Suno sof suith Ambient Lights		- 2
All Black Interiors with Champagne Gold Accents	- 6	7
Home Inside Buot Handles	- /	7
hersium Ritori Ambrent Lighting with Yanubile Illiuminishen	7	4
Stange Space with Spottery Blue Ambient (Continues of Conditiver Side)	- /	7
enter Conside Cup Holders with Southing Blue Ambient Illianisation		- 2
AT TOUCH IP WITH PROFILER STRCK	- 7	1.7
laft Foods Door Thire with Promises Mixth (Front)	100	
autheratio Goor Triss Arm Rest:		
swither Sitrapped Stewing Viberi & Shift Lever Kisch		- 2
APPROVIE SAID		V V
Jeggage Stiare for Flat Plater		97
CONFORT & CONVENIENCE		
se-toach Pyraervol Tail Gate	-	
entilizated Front Savita		
way Eower Adjustable Driver Seat with Memory Function	-	7
rear Sout Height Adjuster		
Yord Seld Back Probets with Utility Hook (Co-drews side)	- /	- X
Floor Capturin South curtin total to be Street & Rection (7 Souther)	- /	V
" kon stat Splt, with Auto-In Slide to Rectine 18 Senter)		-
P Row State with 50-50 Spill & Modern		
Marstable Hoad flest for all Passengers		× ×
Lautherstoy: Front Centre Arm; Rest with Utility Blox		- X
P Raw Individual Arts Retts (7 Septer)		- 2
* knie Centre Ammert with Cup Hulblers 18 Septini	- /	
2" Kerk Captain Seato IVIN Side Tolky (7 Seator)		
Air-rod/of Bistratlable Cap Holder's Distrument Paine()	1	2
Front Air Caretrisoner (Automatic Climate Costol)		
Rear Air Conditioner	Automatic Blogray control	Automatic Clauste Control (2 <sup>nd</sup> Zone)
Roof Mayured 21 Not Policy AC VEHES		
2" Kaw fistractalija Serohada	- (	
Yord Vinitatival di Greve Lehinated		Arrustic + IR Dut
School Ticted Window Siesses		and the second
John Air Fifger		PM 2.5
Brigs March Sleption Switch (Eco/Hornsal/Power)		Y
El Aludo Stylich		- X
Redrille Shifflets & Cruise Cretral	- 1	
Push Stays (Stay) with Smart King		- 2
Seyfest Bray	1	the same of the sa
hot I Overhead Censelu with Plap Lamp & 505 Button	V.	+ Sopietta Sonesof & SueMind Centrols
TRVM (Electric Adjust, Retact & Auto Folding)	*	mith Welcome Light
Power fillindos (Auto Up/Souri with Anti-pinch)		- 27
Electronic Fower Staveling (Tills & Tolestrapic Adjustable)	- 1	4
Steering Wheel Meusted Carterols Gluelic, (1995a, 1980, Volus)	4	X
Illuminated USS Perts [1" Boar Type A + C, T* Book Type C + C]	*	
Accessors: Socket (11º Rasy & Luggage Assom)		19

Rople CatFlay" & Androst Rute"		1 7	
Raple Carifary' & Android Auto' Niseless Apple Carifary' Multi Inflamation III (also with 7° (17 Rpm) (play TFT	-	- 2	_
South Interroption in Spain with 7 (1), (80m) color for South 3, Incolor of State Southern Souther Solection		1 3	
Digital & Analogue Specification Display Selection Box Drate Indicator with Scot Scote	5	5	
Drive Alode Based (RID Thome	2	7	_
Drive Alode Based AliD Trainer Tare Byrasare Indicator	0.43	2	
Seat Positive Inductor		4	_
Wirnings on MID June Fast, Window Open, Book Open etc.)			
Front & Rear Seaffert forminder Warning Indicator*  Www.ge Ruel Economic (Trip) Tanks Totals*	- 4	1 3	
Dietal Circle	950	1 3	
Debids Temperature Caups		5	-0
Tripmeter	- 2	7.	_
Energy Flow Manitar	¥	4	_
E-Coffeet		7	_
SWETY & SECURITY			
Dual Front Artiago (Briver - Co-Grisver)* Frant Side & Cartain Airbago*	4		-0
Set View Camera with Distalants dustre Lines		1 5	
Real Violation Company	190	4	
Print Perlint Sensors Benerio Perlint Sensors Bentsons Parking Selke (EPS) with But a Hold	W.	7	_
Superior Parking Sensors		- 6	-
#85-with EBB		- 0	-
historia Mabalia Central with this Mart Asset	2	5	
Entergoncy Call with 505 Button	V	1	-
Ture Pressure Alanitoring Scotlers (TPMS)		200	_
DWLNIght Adjustable IRVM	Manual	(Automotic)	_
Frent Stati Bell Provinceprer with Force Limiter		1	
State State Developing 10s & Co., B.O.	5		-
Sing Set Downster (11/18, 11/10) Singst*	2	- 5	-6
ABS WAS ERE better to the first Mart Annes Enterthe Mart Annes Ent	2	2	-
Inofix Child Seat Anchorage	2	1 2	
Saur Window Selveter	-		_
Engine line oblige? Anti-Part Se cardy Systam			-
Refu PWT SCUPIC System  Sound Support Ricks Date Lock		3	_
Speed Sessing Airbo Detr Lorik Control Locking		3	-
Speed Visione Brown			-
Speed Marring Burger* Frent & Fish Pos Brailes Frent Beior Tran Reflectur		7	
Frent Decr Tren Raffector	7	¥	
SULDEI COMMECL.	0.00		_
Webicle Trucking			-
Live Well tile Tracking Stages Wellecks Location	5	- 5	-
Safety & Security			
eCall (Boargerry Call Notification )*		1	
Safety & Security eCall Consequency Call Notification (4 ECAL Street Call Notification (4) ECAL Street Call Notification (4)		7	
www.campr		- V	_
Deor Lock Stolen Mehide Wert		- ×	-6
Yorlen White Tracking			_
Section .	- 5	- 0	_
Safe Firm Allert	2		_
Salet Alest	2.0	7	
Toe leay slary	2		_
Four flassy Fracking Accounts Vielnelly Ward Spoten (WVRS)	*	- 6	_
Acopolic Avenue Avent Sproner (AVAS) Behicle Starton & Morts	- /		_
First Level		2	-
DORNOSE	-	1	_
Hazard Long	7	- v	-
Deveni Rangle Deve Sustant		1	
	Y.		_
Loris Stress	× ×	2.	-
Policik Loution Low Pull Kert		1	
Los Garge Mart	5	3	
Los Range Mart Scot Ball Alex	2	1 2	
Den Spand Ales. Trip Start	7	7	
Trip Start	2		
Trip Drift Science Strate	6	3	
Power Window Status		1 2	
Beat Delt Mexicolar	5	5	
Trips & Drining Behaviour			
Manygote to Car	2	1	-
Ties/Tie History	2	7	
Siev Tre Holey		V	
Caldance Arcard Destination	- /		
Longty John 56/055		- 2	
Remote Operation Lemma Alarm 54/367 Raneara Hazard Lights ORLIGHT	- 4	3	
Back Boor Lack/Uniock	2.	,	
Horn DN		7	
Power of namy Clase	-		-
Ramini Inmebiliar (MVIII)		*	
Tieneria AC 000/07T Exercise Seek Martifactory 000 0000			-
Everyote Sent Ventilation DN/OFF Testinie Haufith Check		1 3	
STAINE SOLLECT AND	- 4	1 2	
Altera Stoll Connectivity"	2	2	-
Smartpartch Connectivity	100		

New Calon Lamp
Language Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Language
Langua



Afficial hids (instal server to right to charge, without cases, grice with, examinate specification, and widels and afficial to departure means to the process of the server of the server of the server. The faces place in the vehicle of the thirty final field of the server of t



E-1/1 Antibolo, 1-1 to Caroline is

et efficiency as certified by test agency under Bule 15 of CMVR 1985. Spans wheel material is short it space type size is 2007/03/89. A COL. It's Seems part of the teather application applications will contain made material. A Analogical Auto III surgests the Android platform into In major industrial and industrial and in manager than another glorithms may be in a least state proposed which the delivery in its designation for designation of the industrial bacteria to double search. The animal along any an occipie Regimi-lated dutals is sectional on the control force as the Collaboring least pay Dissease and collaboring the control force and their places such animals pay Dissease and collaboring their control force and their places on the Animals and pay Dissease and collaboring their control force and their places on the Animals and collaboring their control force and their collaboring their control force and their collaboring their collabo

mort with sadeald data. Support geoglecom/androlitaire (pinals)? Audioid, sadeald Auto. le, Google Hay and other mosts ary tradeciaries of Google (inc. ppie and Phane are trademarks of Apple Inc. registered in the U.S. other coveryins I Apple Carlifae is a reademark of Apple Inc., Apple of other countries I apple Carthay is a residence of Apple (see, apple (short a securities) layer of the following list. 
p. (howevapple constructive unstability/tapple capple apple capple | ple Carthay is comparible with the lifecose models listed in the localing lists. I tray (howevapple confriend capple ) | 6. For chicals or coloring of Multi information stapple, leadly size to the Green's mail. | 7. Regarding of shorter or not a new possessing is present if a power unit is in termed. "ON" with war seat belt unitariesed, the units gift will also illuminate for a certain period of two on MID. The dentity of importance includes unitariesed. ring ager are also attained to a circum period of their interior had, for dead to charactering of unitar Ventures Including alstage, looking in to the General Manual S. Autho Hamual (S. Kasa personger seal belt ming bases not odd as aller the was presenger seal belt investigation as her and belt in nor flationed if the seaffact is undistrained, the sear saunds internationally for a certain period of time after the seal. is fastered & unfastered and the safeto reaches a certain speed. The bazzer sounds when your votices appeal neeches or exceeds The Calculation below year where years where your vehicle speed five or exceeds LSE forth (Thomph) in a different tors. [11 Saude hext (Auklable Delough Phome I Smerleetch I Saude Connect Skill. Amazon Ataal, Social connect to a network depindent fellomatic rocal IZ, the details as functioning of these features, briefly refus to the or and condrive precided on the Seate Cemast application. Lenson, Rosa, and all related onests are trademarks of fenancinum.

countries injustified him and iffectiveline perposes only. Car Model and country shows may may from the above product and Car colour may due to printing on pages.